

Message

---

**From:** Adams, Adam [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8ED5877842964D6794FAB4410F65DB46-ADAMS, ADAM]  
**Sent:** 5/17/2019 6:24:07 PM  
**To:** Smalley, Bryant [smalley.bryant@epa.gov]; Moore, Gary [Moore.Gary@epa.gov]; Daniel Tighe [Daniel.Tighe@WestonSolutions.com]  
**Subject:** Fwd: 2nd 80s Fire (ITC Response) - CERCLA Acceptability

FYI only

Sent from my iPhone

Begin forwarded message:

**From:** Kendra Bernhagen <[Kendra.Bernhagen@Tceq.Texas.Gov](mailto:Kendra.Bernhagen@Tceq.Texas.Gov)>  
**Date:** May 17, 2019 at 1:16:40 PM CDT  
**To:** "adams.adam@epa.gov" <[adams.adam@epa.gov](mailto:adams.adam@epa.gov)>  
**Subject:** FW: 2nd 80s Fire (ITC Response) - CERCLA Acceptability

Here you go.



*Kendra Bernhagen*

Texas Commission on Environmental Quality  
Region 12 • Emergency Response Coordinator  
5425 Polk Street, Houston, TX 77023  
Direct: 713.767.3591 • Fax: 713.767.3646

---

**From:** Bob Patton  
**Sent:** Friday, May 17, 2019 12:31 PM  
**To:** Kendra Bernhagen <[Kendra.Bernhagen@Tceq.Texas.Gov](mailto:Kendra.Bernhagen@Tceq.Texas.Gov)>  
**Subject:** Fwd: 2nd 80s Fire (ITC Response) - CERCLA Acceptability

Cameron does have some issue. However, they could still be ok. Pls see below.

Begin forwarded message:

**From:** Kelly Cook <[kelly.cook@tceq.texas.gov](mailto:kelly.cook@tceq.texas.gov)>  
**Date:** May 17, 2019 at 11:58:39 AM CDT  
**To:** Bob Patton <[bob.patton@tceq.texas.gov](mailto:bob.patton@tceq.texas.gov)>, Nicole Bealle <[Nicole.Bealle@tceq.texas.gov](mailto:Nicole.Bealle@tceq.texas.gov)>, Andy Goodridge <[Andy.Goodridge@tceq.texas.gov](mailto:Andy.Goodridge@tceq.texas.gov)>, Jonathan Walling <[jonathan.walling@tceq.texas.gov](mailto:jonathan.walling@tceq.texas.gov)>, Cynthia Gandee <[Cynthia.Gandee@tceq.texas.gov](mailto:Cynthia.Gandee@tceq.texas.gov)>, David Bower <[David.Bower@tceq.texas.gov](mailto:David.Bower@tceq.texas.gov)>, Earl Lott <[earl.lott@tceq.texas.gov](mailto:earl.lott@tceq.texas.gov)>  
**Cc:** Anthony Buck <[Anthony.Buck@tceq.texas.gov](mailto:Anthony.Buck@tceq.texas.gov)>, Michelle Havelka <[michelle.havelka@tceq.texas.gov](mailto:michelle.havelka@tceq.texas.gov)>, Melinda Johnston <[melinda.johnston@tceq.texas.gov](mailto:melinda.johnston@tceq.texas.gov)>  
**Subject:** RE: 2nd 80s Fire (ITC Response) - CERCLA Acceptability

Thanks Bob, I'll pass it along.

---

**From:** Bob Patton  
**Sent:** Friday, May 17, 2019 11:50 AM  
**To:** Kelly Cook <[kelly.cook@tceq.texas.gov](mailto:kelly.cook@tceq.texas.gov)>; Nicole Bealle <[Nicole.Bealle@tceq.texas.gov](mailto:Nicole.Bealle@tceq.texas.gov)>; Andy Goodridge <[Andy.Goodridge@tceq.texas.gov](mailto:Andy.Goodridge@tceq.texas.gov)>; Jonathan Walling <[jonathan.walling@tceq.texas.gov](mailto:jonathan.walling@tceq.texas.gov)>; Cynthia Gandee <[Cynthia.Gandee@tceq.texas.gov](mailto:Cynthia.Gandee@tceq.texas.gov)>; David Bower <[David.Bower@tceq.texas.gov](mailto:David.Bower@tceq.texas.gov)>; Earl Lott <[earl.lott@tceq.texas.gov](mailto:earl.lott@tceq.texas.gov)>  
**Cc:** Anthony Buck <[Anthony.Buck@tceq.texas.gov](mailto:Anthony.Buck@tceq.texas.gov)>; Michelle Havelka <[michelle.havelka@tceq.texas.gov](mailto:michelle.havelka@tceq.texas.gov)>; Melinda Johnston <[melinda.johnston@tceq.texas.gov](mailto:melinda.johnston@tceq.texas.gov)>  
**Subject:** RE: 2nd 80s Fire (ITC Response) - CERCLA Acceptability

Hi Kelly,  
We checked the databases we had access to and can provide the following:

Intra Services is registered as a generator, transporter, and transfer facility. Compliance rating is "high."

Intergulf is registered as a generator, transporter, receiver, transfer facility, and has a permit. Also "high" compliance rating.

Delta Water Processing is a generator, recycler, receiver, "unclassified" compliance rating.

These 3 should be acceptable.

We were asked about Cameron and Mauser on May 2. Here's what we found then:

Cameron (swr# 96890) is actually Cameron Auto Salvage per Central Registry. Looks like they basically just have a bunch of stormwater permits and that swr# is as a transporter. But most scrap metal drops out of regulation as a solid waste so, this one should be acceptable.

Mauser packaging (swr# 33930) is registered as a generator only. They haven't notified of or been authorized for receiving anything.

Scott was able to look up this information. The Region or Enforcement may have more updated info than we can access. Please let me know if we can help in any other way.  
Thank you,  
Bob

---

**From:** Kelly Cook  
**Sent:** Friday, May 17, 2019 9:57 AM  
**To:** Nicole Bealle <[Nicole.Bealle@tceq.texas.gov](mailto:Nicole.Bealle@tceq.texas.gov)>; Andy Goodridge <[Andy.Goodridge@tceq.texas.gov](mailto:Andy.Goodridge@tceq.texas.gov)>; Jonathan Walling

<[jonathan.walling@tceq.texas.gov](mailto:jonathan.walling@tceq.texas.gov)>; Cynthia Gandee  
 <[Cynthia.Gandee@tceq.texas.gov](mailto:Cynthia.Gandee@tceq.texas.gov)>; David Bower <[David.Bower@tceq.texas.gov](mailto:David.Bower@tceq.texas.gov)>; Earl  
 Lott <[earl.lott@tceq.texas.gov](mailto:earl.lott@tceq.texas.gov)>; Bob Patton <[bob.patton@tceq.texas.gov](mailto:bob.patton@tceq.texas.gov)>  
**Cc:** Anthony Buck <[Anthony.Buck@tceq.texas.gov](mailto:Anthony.Buck@tceq.texas.gov)>; Michelle Havelka  
 <[michelle.havelka@tceq.texas.gov](mailto:michelle.havelka@tceq.texas.gov)>; Melinda Johnston  
 <[melinda.johnston@tceq.texas.gov](mailto:melinda.johnston@tceq.texas.gov)>  
**Subject:** 2nd 80s Fire (ITC Response) - CERCLA Acceptability

All, Can you please let me know if we have any concerns for the 3 facilities listed below. Same CERCLA Off-Site check as we conducted on Wednesday for Southwest Shipyard. Thanks.

---

**From:** Moore, Gary <[Moore.Gary@epa.gov](mailto:Moore.Gary@epa.gov)>  
**Sent:** Friday, May 17, 2019 9:28 AM  
**To:** Shannon, Wilkin <[shannon.wilkin@epa.gov](mailto:shannon.wilkin@epa.gov)>  
**Cc:** spill12 <[spill12@tceq.texas.gov](mailto:spill12@tceq.texas.gov)>; Kelly Cook <[kelly.cook@tceq.texas.gov](mailto:kelly.cook@tceq.texas.gov)>; Adams, Adam <[Adams.Adam@epa.gov](mailto:Adams.Adam@epa.gov)>; Smalley, Bryant <[smalley.bryant@epa.gov](mailto:smalley.bryant@epa.gov)>  
**Subject:** 2nd 80s Fire (ITC Response) - CERCLA Acceptability

Hello Ron,

I know you have been working on the following facilities but we really need the status of these locations ASAP as it is slowing down the progress. If there are items that are standing in your way of quickly making these determinations please let us know so that we can facilitate removing those obstacles.

Vac Truck Cleaning: Intra Services Inc., 16217 Ridlon St, Channelview, TX 77530 (EPA# TXR000064358)

- Cleaning Water Disposal Location for Intra Services: Intergulf, Pasadena, TX (EPA# TXR000031286) - acceptable
- Cleaning Water Disposal Location for Intra Services: Delta Water Processing, 18511 Beaumont Hwy, Houston, TX (EPA# TXR000084700) -

Metal Recycling (Scrap Metal Recycling): Cameron Recycling - TX SWR 96890 -

Totes/Drums (Recycling/Reclamation): Mauser Packaging - (EPA ID # TXD045196052) -

Recovered Water Disposal: Delta Water Processing, 18511 Beaumont Hwy, Houston, TX (EPA# TXR000084700) -

Prior Determination of Receiving Facility N			
DISPOSAL FACILITY	LOCATION	EPA/TCEQ ID #	
Cameron Recycling	Manvel, TX	SWR 96890	
Delta Water Processing	Houston, TX	TXR000084700	
Mauser Packaging		TXD045196052	

Thanks

**Gary W. Moore (6SF-ER)**  
**Federal On-Scene Coordinator**  
**U.S EPA Region 6**  
**1445 Ross Ave, Suite 1200**  
**Dallas, TX 75202-2733**  
**Cell: 214.789.1627**  
[moore.gary@epa.gov](mailto:moore.gary@epa.gov)